

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

CLAIMS

What is claimed is:

1. A method for emitting fragrance from a candle, the method comprising:

selecting a candle having a container and candle wax without a wick; and

heating the container of candle wax to emit fragrance.

2. The method for emitting fragrance according to claim 1, wherein the method comprises melting all of the wax .

3. The method for emitting fragrance according to claim 1, wherein the method comprises adding additional candle wax to the candle.

4. The method for emitting fragrance according to claim 3, wherein the method comprising adding additional candle wax while the candle wax of the candle is melted.

5. The method for emitting fragrance according to claim 1, wherein the method comprises adding additional fragrance to the candle wax.

6. The method for emitting fragrance according to claim 1, wherein the method further comprises illuminating the candle wax.

7. The method for emitting fragrance according to claim 1, wherein the method further comprised disposing a light attachment in the candle.

8. The method for emitting fragrance according to claim 7, wherein the method comprises disposing a light of the light attachment above the candle wax.

9. The method for emitting fragrance according to claim 1, wherein the method comprises disposing a light below at least a portion of the candle wax.

10. A scented candle comprising;
a container for holding candle wax;
candle wax having fragrance therein;
wherein the candle wax lacks a wick.

11. The scented candle according to claim 10, wherein the candle further comprises a channel formed through a center thereof.

12. The scented candle according to claim 10, further comprising a light attachment disposable at least partially in the candle.

13. A candle heating unit comprising:

a housing;

at least one heating element disposed on the housing for heating a candle; and

at least one socket for providing energy to a light attachment.

14. The candle heating unit of claim 13, wherein the candle heating unit further comprises a light bulb disposed in the socket.

15. The candle heating unit of claim 14, wherein the heating element is disk shaped and wherein the socket is disposed below the heating element.

16. The candle heating unit of claim 13, further comprising light attachment for engaging the socket and emitting light.

17. The candle heating unit of claim 16, wherein the light attachment comprises a socket engagement member for attaching the light attachment to the socket and a means for emitting light.

18. The candle heating unit of claim 16, wherein the light attachment extends upwardly from the heating element.

19. The candle heating unit of claim 13, further comprising a candle configured for resting on the heating element.

20. The candle heating unit of claim 19, wherein the candle comprises a channel formed therein for receiving a light attachment.

21. The candle heating unit of claim 19, wherein the candle comprises a light attachment.

22. The candle heating unit of claim 13, further comprising a control switch for controlling the flow of electricity to the socket.

23. A method for emitting fragrance from a candle, the method comprising;

selecting a candle heating unit having a light attached thereto; and

warming a candle to melt the candle's wax and thereby emit fragrance.

24. The method for emitting fragrance of claim 23, wherein the method comprises emitting light through the candle wax.

25. The method for emitting fragrance of claim 23, wherein the method comprises positioning the light above the candle.

26. The method for emitting fragrances of claim 23, wherein the method comprises positioning the light within the candle.

27. The method for emitting fragrances of claim 23, wherein the method comprises positioning the light below the candle.

28. The method for emitting fragrances of claim 23, wherein the method comprises melting the wax and adding additional wax to the candle.

29. The method for emitting fragrances of claim 23, wherein the method comprises selecting a candle without a wick.

30. The method for emitting fragrances of claim 23, wherein the method further comprises adding fragrance to the wax while the wax is melted.

31. A candle heating unit comprising:
a housing;
at least one heating element disposed on the housing for heating a candle; and
a candle retaining member disposed adjacent to the at least one heating element for holding a candle thereon.

32. The candle heating unit according to claim 28, wherein the candle retaining member comprises an annular ring.

33. The candle heating unit according to claim 28, further comprising at least one light attachment.

34. The candle heating unit according to claim 30, wherein the at least one light attachment comprises a light bulb disposed at least partially below the heating element.

35. The candle heating unit according to claim 30, wherein the at least one light attachment extends above the heating element.